國立中央大學104學年度碩士班考試入學試題


所別:<u>生命科學系碩士班 分子與環境生物學組(一般生)</u> 科目:<u>生物化學I(含代謝)</u> 共<u>3</u>頁 第<u>1</u>頁 生命科學系碩士班 分子與環境生物學組(在職生)

本科考試禁用計算器

*請在答案卷(卡)內作答

I. 單選題(每題3分)

1. The following figure is a peptide bond between two amino acids, which are in a trans configuration. Which atoms lie in a plane?



I. 1, 2, 3, 4, 6

II. 3, 5, 6, 7, 8

III. 5, 6, 7, 8, 10

- (A) I (B) II (C) I & II (D) II & III (E) I, II, III
- 2. Which of the following amino acid in a protein cannot be glycosylated?
 - (A) Arginine (B) Threonine (C) Tryptophan (D) Tyrosine (E) Asparagine
- 3. Which of the following reaction is the first substrate-level phosphorylation for the formation of ATP in glycolysis?
 - (A) fructose 1,6-bisphosphate → glyceraldehyde 3-phosphate + dihydroxyacetone phosphate
 - (B) glyceraldehyde 3-phosphate \rightarrow 1,3-bisphosphoglycerate
 - (C) 1,3-bisphosphoglycerate → 3-phosphoglycerate
 - (D) 3-phosphoglycerate → 2-phosphoglycerate
 - (E) phosphoenolpyruvate → pyruvate
- 4. Which of the following TCA cycle enzyme catalyzes a substrate-level phosphorylation?
 - (A) citrate synthase (B) Isocitrate dehydrogenase (C) α-ketoglutarate dehydrogenase
 - (D) succinate dehydrogenase (E) succinyl-CoA synthetase
- 5. Which of the following coenzymes is not required in the action of pyruvate dehydrogenase complex?
 - (A) ascorbic acid (B) NAD+ (C) thiamine pyrophosphate (D) lipoate (E) FAD
- 6. Which of the following mineral nutrient is directly involved in light absorption during light reaction of photosynthesis?
 - $(A) \; Ca^{2+} \quad (B) \; Mn^{2+} \quad (C) \; Cu^{2+} \quad (D) \; Mg^{2+} \quad (E) \; Fe^{2+}$
- 7. The glyoxylate cycle is found in plants but not in animals. The lack of this cycle in animals results in inability to
 - (A) synthesize oxaloacetate from isocitrate.
 - (B) synthesize glutamate from malate.
 - (C) perform gluconeogenesis from amino acids.
 - (D) perform gluconeogenesis from fatty acids.
 - (E) perform CO2 fixation via the reverse citric acid cycle.
- 8. Free glucuronic acid in humans may be metabolized
 - (A) to glucose and then to glucose 6-phosphate.
 - (B) to glycerate and glycerol.
 - (C) to diketo-L-gulonate and excreted.
 - (D) to myoinositol and then involve in signal transduction pathways.
 - (E) to D-xylulose 5-phosphate and then enter the pentose phosphate pathway.
- 9. The reason why C4 plants can fix relatively more carbon than C3 plants when oxygen concentration near the mesophyll cells is high is that
 - (A) the plants do not have RuBP (Ribulose 1,5-bisphosphate) carboxylase.
 - (B) they have RuBP carboxylase.
 - (C) they utilize a process called photorespiration when oxygen concentration is high.
 - (D) the initial CO₂-fixing enzyme uses CO₂ but not O₂ as a substrate.

注:背面有試題

國立中央大學104學年度碩士班考試入學試題

所別:<u>生命科學系碩士班 分子與環境生物學組(一般生)</u> 科目:<u>生物化學I(含代謝)</u> 共<u>3</u>頁 第<u>2</u>頁 生命科學系碩士班 分子與環境生物學組(在職生)

本科考試禁用計算器

*請在答案卷(卡)內作答


- (E) carbon enters the Calvin cycle directly from the air.
- 10. Rubisco catalyzes the carboxylation and also the oxygenation of RuBP. The initial products of these reactions include which of the following?

參考用

- (A) Glyceraldehyde 3-phosphate
- (B) 2-phosphoglycolate
- (C) 3-phosphoglycerate
- (D) Glyceraldehyde 3-phosphate & 2-phosphoglycolate
- (E) 2-phosphoglycolate & 3-phosphoglycerate
- 11. Which of the following enzyme is unique to gluconcogenesis in plants?
 - (A) glyceraldehyde 3-phosphate dehydrogenase
 - (B) phosphoglycerate kinase
 - (C) fructose 1, 6-bisphosphate
 - (D) PPi-dependent phosphofructokinase
 - (E) ATP-dependent phosphofructokinase
- 12. Which of the following is not involved in the regulation of enzyme activity?
 - (A) Covalent modification of enzymes.
 - (B) Feedback inhibition/activation of metabolic pathways.
 - (C) Interconversion of metabolites such as pyruvate and lactate
 - (D) Subunit-subunit interaction of enzymes
 - (E) Phosphorylation of enzymes
- 13. Complete β-oxidation of palmitoyl CoA can produce how many molecules of ATP? Assume 3 molecules for each NADH/H⁺ produced and 2 molecules for each FADH₂
 - (A) 61 (B) 86 (C) 96 (D) 102 (E) 131
- 14. Which of the following fatty acid is essential and serves as a precursor of arachidonic acid in mammals?
 - (A) Acetic acid (B) Linoleic acid (C) Oleic acid (D) Palmitoleic acid (E) Stearic acid
- 15. Which of the following is closest to the pH values of a solution containing 5 mM/L of H⁺ ions?
 - (A) 2.3 (B) 3.1 (C) 5.1 (D) 7.5 (E) 8.3

II. 單選題(每題3分)

- ★For questions 1~2 match the term with the appropriate answer.
 - (A) Aspartate
 - (B) Glutamine
 - (C) Glycine
 - (D) Serine
 - (E) Tryptophan
- 1. The amino acid contributes two-third of the ring structure of cytidine.
- 2. The amino acid provides the γ -nitrogen for asparagine biosynthesis.
- *For questions 3~4 find the appropriate answer based on the following figure, a schematic representation of a mock metabolic pathway.



3. Under cellular conditions where the concentration of H is in excess of needs, which reaction is most likely going to be inhibited by a feedback allosteric mechanism?

注:背面有試題

國立中央大學104學年度碩士班考試入學試題

所別:<u>生命科學系碩士班 分子與環境生物學組(一般生)</u> 科目:<u>生物化學I(含代謝) 共 3 頁 第 3 頁</u> 年 生命科學系碩士班 分子與環境生物學組(在職生)

本科考試禁用計算器

*請在答案卷(卡)內作答

- (A) B to C (B) C to D (C) D to E (D) E to F (E) F to G
- 4. If the concentrations of both H and L are in excess, which reaction is most likely going to be inhibited by a feedback allosteric mechanism?
 - (A) A to B (B) B to C (C) D to E (D) E to F (E) C to I
- %For questions 5~6 match the term with the appropriate answer.
 - (A) Complex I
 - (B) Complex II
 - (C) Complex III
 - (D) Complex IV
 - (E) Ubiquinone
- 5. The component of the electron transport chain of mitochondria cannot pump electron out of mitochondrial matrix
- 6. The key component of the electron transport chain of mitochondria is inhibited by potassium cyanide.
- *Questions 7~8 refer to the following enzymes.
 - (A) Catalase
 - (B) Aconitase
 - (C) Allantoinase
 - (D) Arginase
 - (E) Asparaginase
- 7. A mammalian peroxisomal enzyme
- 8. An enzyme of purine nucleotide catabolism
- XQuestions 9~10 refer to the following inhibitors.
 - (A) Azetidine
 - (B) 2,4-dinitrophenol
 - (C) Cycloheximide
 - (D) Puromycin
 - (E) Tunicamycin
- 9. An inhibitor can interfere with the translocation step in protein synthesis
- 10. An inhibitor for ATP synthesis

III 簡答題(每題5分)

Please describe and compare the following terms

- 1. Lectin & Selectin
- 2. Fructose-2,6-bisphosphate & Phosphofructokinase
- 3. Antenna complex & Photosystem
- 4. Heme & Chlorophyll
- 5. Organelle genome & Nuclear Genome

