類組:電機類 科目:控制系統(300D)

共4頁第1頁

所有題目皆須附計算過程 無計算過程者不予計分

- 1. (28%) Consider a unity feedback control system as given in Figure 1 below, where G_p and G_C denote the system plant and controller, respectively. Let the characteristic equation of the closed-loop system be given by $s^3 + 2s^2 + (a+1)s + 3Ks + 6K = 0$.
 - (a) (8%) Let $G_C = K$. Then find the function $G_P(s)$ and plot the root loci of the closed-loop system with a = 0 for $K \ge 0$.
 - (b) (4%) Solve the steady-state error for input $U(s) = \frac{1}{s}$ and $U(s) = \frac{1}{s^2}$, respectively, with a = 0 and K = 1.
 - (c) (8%) Find the value of a and the corresponding value of K so that the closed-loop system will have a triple pole on the real axis for $K \ge 0$.
 - (d) (8%) Find the range of a with $a \ge 0$ so that the closed-loop system will have only one breakaway and/or break-in points on the negative real axis for $K \ge 0$.




Figure 1: Unity feedback control system for Problem 1 and 2

- 2. (22%) Consider the closed-loop feedback system as given in Figure 1 above.
 - (a) (4%) Let $G_p = \frac{s(s+2)}{s^3 + 2s^2 + 10}$ and $G_C = K$. Find the range of K for guaranteeing the asymptotic stability of the system.
 - (b) (6%) Let $G_P = \frac{68}{s(s+4)}$ and $G_C = 1$. Solve for the maximum overshoot of the system output y(t) and the corresponding time for the unit-step input, i.e., $u(s) = \frac{1}{s}$.
 - (c) (6%) Let $G_p = \frac{68}{s(s+4)}$ and $G_C = K$. Find the value of K so that the closed-loop poles will have damping ratio $\zeta = 0.5$. In addition, what will be the value of the corresponding undamped natural frequency ω_n ?
 - (d) (6%) Let $G_P = \frac{s+1}{s(s+4)}$. Design a controller G_C so that the closed-loop poles will have undamped natural frequency $\omega_n = 10$. In addition, what will be the value of the corresponding damping ratio ζ ?

類組:電機類 科目:控制系統(300D)

共 4 頁 第 2 頁

- 3. (26%) Consider the feedback control system in Figure 2. Let C(s) = K > 0. Suppose that G(s) is stable, and the Nyquist plot of KG(s) for K = 1 is shown in Figure 3 (Note: the Nyquist path is in the clockwise direction). To answer the following questions, assume K = 1 for questions (a)-(d).
 - (a) (4%) If r is the unit step function, what is $\lim_{t\to\infty} e(t)$?
 - (b) (4%) If r is the impulse function, show that $y(0) \neq 0$.
 - (c) (4%) If $r = \cos(0.53t)$, what is the steady-state output y(t)?
 - (d) (6%) Let S(s) be the sensitivity function of the system, i.e. the closed-loop transfer function from r to e. Find a reasonable upper bound of $\max_{-\infty < \omega < \infty} |S(j\omega)|$.
 - (e) (8%) Find all ranges of positive K such that the closed-loop system is stable.





Figure 2: Feedback control system in Problem 3 and 4




注意:背面有試題

類組:電機類 科目:控制系統(300D)

共_4_頁 第4_頁

- 4. (24%) Consider the feedback control system in Figure 2. The Bode plot of G(s) is given in Figure 4. Let M(s) be the closed-loop transfer function from r to y, and M(s) is stable when C(s) = 1. Answer the following questions.
 - (a) (4%) Assume C(s) = 1. Let ω_p be the phase crossover frequency. What are M(0) and $M(j\omega_p)$?
 - (b) (4%) Assume C(s) = 1. Based on the information in Figure 4, argue that the resonant peak of M(s) is at least 9.75 dB.
 - (c) (6%) Sketch the Nyquist plot for C(s) = 1. Suppose that the Nyquist path is clockwise and detours to the right when there is any pole of G(s) on the imaginary axis. You should indicate the intersection of the Nyquist plot and the real axis, and the angles for $\omega \to 0^+$ and $\omega \to \infty$.
 - (d) (4%) Let C(s) = K > 0. Find the value of K such that the step response of the closed-loop system has sustained oscillation (i.e. oscillation with identical magnitude). What is the frequency of this sustained oscillation?
 - (e) (6%) Let $C(s) = K_P + \frac{\kappa_I}{s}$ be a PI controller. Find K_P and K_I such that the phase margin of the system is more than 60 degrees.

Remark: State your procedure for tuning K_P and K_I . You do not have to verify your design. Just mention how you will tune K_P and K_I if the desired phase margin is not achieved.



注意:背面有試題